Synopsis of Proposed Research Work Entitled

"Study of some Zero Divisor Graphs of Rings and It's Generalizations"

Submitted To

Swami Ramanand Teerth Marathwada University,

Nanded-431606

For the Award of the Degree

Doctor of Philosophy

In

Mathematics

Under the Faculty of

Science

By

Mr. Shrikant Ganpatrao Jakkewad
M.Sc. (Mathematics), PET, CSIR-NET JRF, UGC-NET JRF, SET

Under the Guidance of

Dr. R. G. Metkar
Assistant Professor
Department of mathematics,
Indira Gandhi College, Cidko, Nanded-431606

Proposed Research Work

Thesis Title: Study of some Zero Divisor Graphs of Rings and it's Generalizations

Abstract:

In this research work, we study zero-divisor graphs of rings along with their generalized results. We present several generalizations of the concept of zero-divisor elements in a ring and examine the corresponding zero-divisor graphs. Furthermore, we introduce and explore new types of zero-divisor graphs of rings, establishing various results related to them. Using zero-divisor graphs, we also investigate important graph properties such as connectivity, diameter, radius, completeness, and others. Finally, we analyze how these properties of graphs relate to rings.

1. Introduction:

Graph theory provides illustrative ways to understand the relationships between different elements. Zero-divisor graphs lie at the intersection of ring theory and graph theory, specifically illustrating the relationships between the zero-divisors of a ring. When certain rings exhibit complex behaviour, it becomes difficult to analyse them directly; however, graph theory and zero-divisor graphs prove to be valuable tools for studying the theoretical properties of rings.

For each commutative ring, we associate a simple graph $\Gamma(R)$. We investigate both the ring-theoretic properties of R and the graph-theoretic properties of $\Gamma(R)$. In this framework, a graph is naturally associated with the zero-divisors of a commutative ring. Our aim is to characterize various attributes of the graph, including connectivity, diameter, and symmetry.

The zero-divisor relation in a ring is reflexive and symmetric, though not transitive. This relation naturally leads to its representation as a simple graph. The zero-divisor graph effectively captures essential information about the zero-divisors of a ring.

In this research, we study the properties of zero-divisor graphs in detail. We begin by discussing the methodology used to reach our conclusions, followed by an analysis of the different types of behaviour exhibited by these graphs. Our focus is primarily on graphs associated with the integers modulo n. Ultimately, zero-divisor graphs highlight the interplay between the ring-theoretic properties of R and the graph-theoretic properties of $\Gamma(R)$.

2. Review of literature and development in the subject:

The concept of the zero-divisor graph of commutative rings was introduced by I. Beck in 1998. Let R be a ring and Z(R) its set of zero-divisors. We associate a simple graph $\Gamma(R)$ with R, where the vertex set is $Z(R)^* = Z(R) - \{0\}$, i.e., the set of all non-zero zero-divisors of R. For distinct elements $x, y \in Z(R)^*$, the vertices x and y are adjacent if and only if $x \times y = 0$.

Example: - consider the ring $\mathbb{Z}_3 \times \mathbb{Z}_3$



We study the following definition of graphs and zero divisor graph which are useful for achievement of result.

3. Preliminaries:

Graph theory is a branch of mathematics concerned with the study of graphs, which consist of nodes and edges, often used to represent mathematical concepts visually. The field explores the connections between the vertices and edges within these structures. Below, we will delve into fundamental definitions to facilitate comprehension of key terminologies. A Zero-divisor graph is an undirected graph representing the Zero-divisors of a commutative ring. Its vertices correspond to elements of the ring, and its edges connect pairs of elements whose product equals Zero. In this context, two vertices u and v within the graph G are considered connected if there exists a path from u to v. This notion of connection forms an equivalent relation on the vertex set V. Consequently, the vertex set V can be partitioned into nonempty subsets $v_1, v_2, \ldots, v_w$ where two vertices u and v are connected if and only if they both belong to the same subset Vi. The subgraphs

G[V1], G[V2], ..., G[Vw] are referred to as the components of G. If G contains only one component,

it is termed connected; otherwise, it is classified as disconnected.

Additionally, a graph is considered simple when it does not contain loops, meaning there are no edges connecting a vertex to itself, and when each pair of vertices is connected by at most one edge, ensuring that no two edges join the same pair of vertices. (A self-loop is an edge that joins a single endpoint to itself) [Refer Figure1]



Fig 1: SIMPLE GRAPH

Graph theory describes a walk-in graph G as a finite, non-null sequence denoted by $W = v_0e_1v_1e_2v_2...e_kv_k$. This sequence alternates between vertices and edges, where for $1 \leq i \leq k$, the ends of e_i are v_{i-1} and v_i. This sequence is called a walk from v_0 to v_k, or a (v_0, v_k) walk. The vertices v_0 and v_k are respectively termed the origin and terminus of the walk, while $v_1, v_2, \ldots, v_{k-1}$ are its internal vertices. The integer k is the length of W. Example:uavfyfvgyhwbv [Refer Figure 2]



Fig 2: WALK

If the edges e1, e2, ..., ek of a walk W are distinct, W is called a trail.

Example: wcxdyhwbvgy

+



Fig 3: TRAIL and PATH

A path is a trail in which no vertices (except possibly the end vertices) are repeated i.e. the vertices $v_0, v_1, \ldots, v_k$ are distinct, W is called a path.
Example: xcwhyeuav A circuit is a closed trail (that is end vertices are the same) with at least one edge known as Circuit.



Fig 4: CYCLE

A walk is closed if it has a positive length and its origin and terminus are the same. A closed trail whose origin and internal vertices are distinct is a cycle. The graph's diameter is the maximum distance between the pair of vertices. It can also be defined as the maximal distance between the pair of vertices.
Example: $BC \rightarrow CF \rightarrow FG$ A radius of the graph exists only if it has a diameter. The minimum among all the maximum distances between vertexes to all other vertices is considered as the radius of Graph G. It is denoted as r(G).
Example: $BC \rightarrow CA$ The girth of a graph is the length of the shortest cycle contained in the graph.

If the graph does not contain any cycles (i.e., it's an acyclic graph), its girth is defined as infinity. A walk is closed if it has a positive length and its origin and terminus are the same. A closed trail whose origin and internal vertices are distinct is a cycle. The graph's diameter is the maximum distance between the pair of vertices. It can also be defined as the maximal distance between the pair of vertices.

Example: BC → CF → FG A radius of the graph exists only if it has a diameter. The minimum among all the maximum distances between vertexes to all other vertices is considered as the radius of Graph G. It is denoted as r(G).

Example: BC → CA The girth of a graph is the length of the shortest cycle contained in the graph. If the graph does not contain any cycles (i.e., it's an acyclic graph), its girth is defined as infinity.

a 4-cycle (square) has girth 4. A grid also has a girth 4, and a triangular mesh has a girth 3. A graph with a girth of four or more is triangle-free.

4. Aim and Objectives of the Research

Aim:

The primary aim of this research is to study zero-divisor graphs of rings, their generalizations, and to explore the interconnections between graph-theoretic and ring-theoretic properties.

Objectives:

1. To study fundamental concepts and basic definitions of graph theory.
2. To examine different commutative and non-commutative rings and their associated zero-divisor graphs (undirected and directed, respectively).
3. To define and study various types of zero-divisor graphs, including those introduced by Anderson and Livingston, as well as Mulay.
4. To discuss the methods used for constructing these graphs and identifying patterns within them.
5. To analyze the behavior of different types of rings through their corresponding graphs.
6. To study zero-divisor graphs of rings such as Zn and Zn[i].
7. To investigate the relationships between the properties of rings and the properties of their corresponding graphs.
8. To examine basic graph properties such as connectivity, diameter, and completeness.
9. To explore different homomorphisms of a ring R, construct their respective zero-divisor graphs, and determine relationships between these graphs.
10. To study the automorphism groups of zero-divisor graphs and provide a complete characterization for rings.
11. To obtain new zero-divisor graphs of rings using generalized definitions and new results.
12. To calculate graph parameters such as degree of a vertex, radius, diameter, girth, and relate them to the ring-theoretic properties.
13. To examine whether the newly defined zero-divisor graphs are complete, planar, connected, etc.

14. To determine whether the newly generalized zero-divisor graphs are colorable.

5. Methodology:

The methodology of this research involves a systematic approach that begins with consulting standard reference books on graph theory and zero-divisor graphs, along with relevant research papers published in reputed journals. As an initial step, zero-divisor graphs for different finite commutative rings will be drawn by hand to build a foundational understanding. The study will then focus on reviewing and defining the basic concepts and terminology associated with zero-divisor graphs. Using existing results from earlier research, zero-divisor graphs of certain rings will be constructed and analyzed. Past research will also be carefully examined to identify gaps and to derive new and appropriate results. Furthermore, a survey of recent developments in the study of zero-divisor graphs will be carried out to incorporate the latest findings into the work. The research will also focus on obtaining zero-divisor graphs of rings using new definitions and results, and this study will be extended to explore zero-divisor graphs of modules.

6. Significance of the study:

When certain rings have a complex structure, it is often difficult to understand their behavior directly. However, by using zero-divisor graphs, we can effectively analyze and interpret the behavior of such rings. These graphs also help in establishing clear relationships between the properties of rings and the corresponding properties of graphs.

Beyond ring theory, graph theory has wide-ranging applications. In computer science, graphs are used to represent network communications, data organization, computational processes, and the flow of computation. The structure of a website, for example, can be represented as a directed graph where vertices correspond to webpages and edges represent links between them. Similarly, in the sciences, graph theory is applied to study molecular structures in chemistry, physical systems in physics, and three-dimensional structures in various fields.

7. Year-wise Plan of Work and Targets to be Achieved

First Year:

1. To refer to relevant reference books on graph theory and zero-divisor graphs.
2. To attend seminars, conferences, and workshops on related topics.
3. To study different types of rings, including commutative and non-commutative rings.
4. To understand important definitions and concepts such as vector spaces, subspaces, rings, subrings, grids, coloring, and partite graphs, which contribute to the development of zero-divisor graphs.

Second Year:

1. To carry out a survey of the latest developments in the study of zero-divisor graphs.
2. To study and construct zero-divisor graphs for selected rings.
3. To illustrate the relationships between ring-theoretic properties and graph-theoretic properties using different zero-divisor graphs.

Third Year:

1. To investigate relationships between the zero-divisor graphs of various rings.
2. To publish research findings in national and international conferences.
3. To submit research work for publication in journals.
4. To complete and submit the thesis.

8. References:

1. Herstein, I. N. (1975). Topics in Algebra. John Wiley & Sons.
2. Gallian, J. A. (2010). Contemporary Abstract Algebra (8th ed.). Brooks/Cole.
3. Musili, C. (2000). Introduction to Rings and Modules. Narosa Publishing House.
4. Liu, L. (2nd Ed.). Elements of Discrete Mathematics. Tata McGraw-Hill.
5. Deo, N. (2003). Graph Theory with Applications to Engineering and Computer Science. Prentice-Hall of India Pvt. Ltd.
6. Mulay, S. B. (2002). Cycles and symmetries of zero-divisors. Communications in Algebra, 30(7), 3533–3558.
7. Beck, I. (1988). Coloring of a commutative ring. Journal of Algebra, 116, 208–226.
8. Anderson, D. F., & Livingston, P. F. (1999). The zero-divisor graph of a commutative ring. Journal of Algebra, 217, 437–447.
9. Anderson, D. F., Frazier, A., Lauve, A., & Livingston, P. S. (2001). The zero-divisor graph of a commutative ring. Lecture Notes in Pure and Applied Mathematics, 206, 1–72. Marcel Dekker, New York.

10. Anderson, D. F. (2008). On the diameter and girth of a zero-divisor graph, II. Houston Journal of Mathematics, 34, 361–371.

11. Anderson, D. F., & Badawi, A. (2008). On the zero-divisor graph of a ring. Communications in Algebra, 36(8), 3073–3092. https://doi.org/10.1080/00927870802110888

12. Redmond, S. P. (2001). Generalizations of the Zero-Divisor Graph of a Ring (Doctoral dissertation, University of Tennessee).

13. Livingston, P. S. (1997). Structure in Zero-Divisor Graphs of Commutative Rings (Thesis, University of Tennessee, Knoxville, TN).

Mr. Shrikant Ganpatrao Jakkewad
(Research Scholar)

Dr. R. G. Metkar sir
(Research guide)